



<b>SECTION IV-Fire and Explosion Hazard Data</b>	
<b>Flash Point (Method Used)</b>	Not Applicable
<b>Flammable Limits</b>	Not Applicable
<b>LEL</b>	Not Applicable
<b>UEL</b>	Not Applicable
<b>Extinguishing Media</b>	Water, Carbon Dioxide, and Sand
<b>Special Fire Fighting Procedures</b>	Self Contained Breathing Apparatus recommended.
<b>Unusual Fire and Explosion Hazards</b>	In presence of ignition source wood dust may explode.
<b>SECTION V-Reactivity Data</b>	
<b>Stability</b>	Stable
<b>Incompatibility (Materials to Avoid)</b>	Oxidizing agents and drying oils
<b>Hazardous Decomposition or Byproducts</b>	This is a combustible product, keep in a cool dry place away from ignition sources.
<b>Hazardous Polymerization</b>	Will not occur
<b>Conditions to Avoid</b>	Excessive wood dust generated from machining.
<b>SECTION VI- Health Hazard Data</b>	
<b>Route (s) to Entry</b>	Inhalation and skin contact
<b>Health Hazards (Acute and Chronic)</b>	
Acute: Wood dust can irritate the eyes and breathing passages. Some wood may cause skin irritation.	
Chronic: Wood dust, may cause allergic dermatitis and respiratory sensitization with repetitive contact.	
<b>Carcinogen</b>	Not Applicable
<b>NTP</b>	Not Applicable
<b>IARC Monographs</b>	Not Applicable
<b>OSHA Regulated</b>	Not Applicable
<b>Signs and Symptoms of Exposure</b>	Severe coughing and breathing, or irritation of skin.
<b>Medical Conditions</b>	Generally aggravated by exposure.
<b>Emergency and First Aid Procedures</b>	Remove to fresh air, wash skin with soap and water
Remove to fresh air, wash skin with soap and water,	
<b>SECTION VII- Precautions for Safe Handling and Use</b>	
<b>Steps to be taken in case material is released</b>	
Not Applicable	
<b>Waste disposal method</b>	
This product is not considered to be hazardous under Federal Hazardous Waste Regulations.	
<b>Precautions to be taken in handling and storing</b>	
This is not a DOT Hazardous Material. Avoid sparks, flames, and exposure to excessive heat.	
<b>Other Precautions</b>	
Store in a cool dry place between 40 degrees fahrenheit and 100 degrees fahrenheit.	
<b>SECTION VIII-Control Measures</b>	
<b>Respiratory protection (specify type)</b>	Not applicable in purchased form
<b>Ventilation</b>	Dust exhaust ventilation required when machining.
<b>Protective gloves</b>	Not Required. Use cloth or leather gloves if desired
<b>Eye protection</b>	Goggles or safety glasses recommended to process
<b>Other protective clothing or equipment</b>	None required.
<b>Work/hygienic practices</b>	None required.